Amendments to the Claims

1	Claim 1 (currently amended): A method of using policy information in responding to arrival of
2	instant messages, comprising steps of:
3	defining, by an instant messaging ("IM") user, policy information specifying criteria for
4	responding to arrival of instant messages, wherein the policy information comprises a list of
5	selected application programs which are each distinct from an instant messaging application used
6	by the IM user and which are each executable on a computing device of the IM user;
7	receiving an instant message from an IM sender who is not already participating in an IM
8	session with the IM user;
9	programmatically determining, responsive to the receiving, whether any of the selected
10	application programs in the list are currently executing on the computing device of the IM user;
11	and
12	responding to the arrival of the instant message by opening a new window on a graphical
13	user interface of the computing device of the IM user and displaying the instant message therein if
14	the programmatically determining [[step]] has a negative result, or by adding an icon representing
15	the instant message to an already-open window but not displaying the instant message itself if the
16	programmatically determining [[step]] has a positive result, wherein:
17	the already-open window comprises one of an already-open buddy list window that
18	visually depicts a list of each IM partner from an IM address book of the IM user or an already-
19	open status window that visually depicts a list of each currently-active IM partner of the IM user;
20	the icon is added in association with a representation, in the visually-depicted list,

of the IM sender; and

21

the icon visually indicates that the instant message is available for on-request

display and can be activated by the IM user to cause the on-request display of the instant message.

Claims 2 - 8 (canceled)

- 1 Claim 9 (previously presented): The method according to Claim 1, wherein the policy
- 2 information is specified as a set of rules.

Claims 10 - 14 (canceled)

- Claim 15 (currently amended): The method according to Claim 1, further comprising the step of
- 2 generating an audible indicator when the programmatically determining [[step]] has the positive
- 3 result.

Claims 16 - 27 (canceled)

- 1 Claim 28 (previously presented): A system to use policy information in responding to arrival of
- 2 instant messages, comprising:
- means for defining, by an instant messaging ("IM") user, policy information specifying
- 4 criteria for responding to arrival of instant messages, wherein the policy information comprises a
- 5 list of selected application programs which are each distinct from an instant messaging application
- 6 used by the IM user and which are each executable on a computing device of the IM user;

7 means for receiving an instant message from an IM sender who is not already participating 8 in an IM session with the IM user; 9 means for programmatically determining, responsive to operation of the means for 10 receiving, whether any of the selected application programs in the list are currently executing on 11 the computing device of the IM user; and 12 means for responding to the arrival of the instant message by opening a new window on a 13 graphical user interface of the computing device of the IM user and displaying the instant message 14 therein if the means for programmatically determining yields a negative result, or by adding an 15 icon representing the instant message to an already-open window but not displaying the instant 16 message itself if the means for programmatically determining yields a positive result, wherein: 17 the already-open window comprises one of an already-open buddy list window that 18 visually depicts a list of each IM partner from an IM address book of the IM user or an already-19 open status window that visually depicts a list of each currently-active IM partner of the IM user; 20 the icon is added in association with a representation, in the visually-depicted list, 21 of the IM sender; and 22 the icon visually indicates that the instant message is available for on-request 23

display and can be activated by the IM user to cause the on-request display of the instant message.

Claim 29 (previously presented): A computer program product for using policy information in responding to arrival of instant messages, the computer program product embodied on one or more computer-readable storage media and comprising:

computer-readable program code for defining, by an instant messaging ("IM") user, policy

1

2

3

4

information specifying criteria for responding to arrival of instant messages, wherein the policy information comprises a list of selected application programs which are each distinct from an instant messaging application used by the IM user and which are each executable on a computing device of the IM user;

computer-readable program code for receiving an instant message from an IM sender who is not already participating in an IM session with the IM user;

computer-readable program code for programmatically determining, responsive to operation of the computer-readable program code for receiving, whether any of the selected application programs in the list are currently executing on the computing device of the IM user; and

computer-readable program code for responding to the arrival of the instant message by opening a new window on a graphical user interface of the computing device of the IM user and displaying the instant message therein if the computer-readable program code for programmatically determining yields a negative result, or by adding an icon representing the instant message to an already-open window but not displaying the instant message itself if the computer-readable program code for programmatically determining yields a positive result, wherein:

the already-open window comprises one of an already-open buddy list window that visually depicts a list of each IM partner from an IM address book of the IM user or an already-open status window that visually depicts a list of each currently-active IM partner of the IM user; the icon is added in association with a representation, in the visually-depicted list, of the IM sender; and

the icon visually indicates that the instant message is available for on-request
display and can be activated by the IM user to cause the on-request display of the instant message.